

# FERTI MAXX TRIPLE 18

## 18-18-18

### GUARANTEED ANALYSIS

Total Nitrogen (N).....	18.0%
3.0% Ammoniacal Nitrogen	
5.0% Nitrate Nitrogen	
10.0% Urea Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	18.0%
Soluble Potash (K <sub>2</sub> O).....	18.0%
Boron (B).....	0.02%
Copper (Cu).....	0.05%
0.05% Chelated Copper (Cu)	
Iron (Fe).....	0.1%
0.1% Chelated Iron (Fe)	
Manganese (Mn).....	0.05%
0.05% Chelated Manganese (Mn)	
Molybdenum (Mo).....	0.001%
Zinc (Zn).....	0.05%
0.05% Chelated Zinc (Zn)	

Derived from: Urea, Potassium Nitrate, Ammonium Phosphate, Monopotassium Phosphate, Iron EDTA, Manganese EDTA, Zinc EDTA, Copper EDTA, Boric Acid and Sodium Molybdate

Potential Acidity: 590 lbs calcium carbonate equivalent per ton

Guaranteed by: EZ-FLO Injection Systems Inc.  
3640 Cincinnati Ave. ~ Rocklin, CA 95765



### DIRECTIONS FOR USE

FERTI MAXX TRIPLE 18 is a fertilizer product for use on all plant material. It is optimized for use with fertigation systems but may also be used in foliar applications. FERTI MAXX TRIPLE 18 may be added to any FERTI MAXX fertility product, most other fertilizers, and most agricultural chemicals after conducting a jar test for compatibility. Always treat a small test area with any experimental blends to determine potential phytotoxicity before making general applications. Effective in spring, warm and hot weather.

### APPLICATION RATES / INTERVALS

FERTIGATION SYSTEMS: Use 1 pound per every 2,000 square feet. Refill or apply every 4 to 6 weeks. Amount can be increased or decreased depending on desired results and plant needs.

HAND APPLICATIONS: Mix 1/2 Tablespoon per gallon of water and apply by spray or watering can for outdoor plants. Mix 1/4 teaspoon per gallon for indoor plants. Apply every 1 to 2 weeks.

WARNING- Product contains boron and molybdenum. The use of this fertilizing material on any crop(s) other than those recommended may result in serious injury to the crop(s). The application of fertilizing materials containing molybdenum may result in forage crops containing levels of molybdenum which are toxic to ruminant animals.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

### PRECAUTIONARY STATEMENTS

Wash skin thoroughly after handling. Get medical advice/ attention if you feel unwell. Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.

### STORAGE INFORMATION:

Keep container tightly closed in a dry and well-ventilated place. Store in a cool location, away from direct sunlight or where freezing is possible. Failure to follow storage guidelines may lead to product degradation.

KEEP OUT OF REACH OF CHILDREN & PETS

### NOTICE TO BUYER

This product is intended for use as a professional plant food, only. Users must exercise all due professional judgment and caution when applying the product under their own particular growing conditions.

Limitations of warranty and liability: EZ-FLO Injection Systems Inc. and any other seller, warrants only that this product conforms to the chemical description on the product label. No other warranty, express or implied, as to the merchantability, fitness for a particular use, or otherwise shall apply. Purchaser's exclusive remedy for loss or damage related to the purchase and/or use of this product shall be limited to the refund of the purchase price, only. By using this product, you are deemed to have accepted the terms of this notice.

Florida License No. F003078

**Net Weight: 25 lbs (11.35 kg)**

Questions and Information about the components of this product lot may be obtained at [www.ezfloinjection.com](http://www.ezfloinjection.com) or by phone 866.393.5601