

# MAXX C

## 18-3-4



### GUARANTEED ANALYSIS

<b>Total Nitrogen (N)</b> .....	<b>18.00%</b>
18.00% Urea Nitrogen	
<b>Available Phosphate (P<sub>2</sub>O<sub>5</sub>)</b> .....	<b>3.00%</b>
<b>Soluble Potash (K<sub>2</sub>O)</b> .....	<b>4.00%</b>
<b>Iron (Fe)</b> .....	<b>0.50%</b>
0.50% Chelated Iron (Fe)	
<b>Manganese (Mn)</b> .....	<b>0.05%</b>
0.05% Chelated Manganese (Mn)	

Derived from: Urea, Monopotassium Phosphate, Potassium Hydroxide, Potassium Citrate, Ferrous Citrate and Manganese Citrate.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.html>

### NOTICE TO BUYER

This product is intended for use as a professional plant food, only. Users must exercise all due professional judgment and caution when applying the product under their own particular growing conditions.

Limitations of warranty and liability: EZ-FLO Injection Systems Inc. and any other seller, warrants only that this product conforms to the chemical description on the product label. No other warranty, express or implied, as to the merchantability, fitness for a particular use, or otherwise shall apply. Purchaser's exclusive remedy for loss or damage related to the purchase and/or use of this product shall be limited to the refund of the purchase price, only. By using this product, you are deemed to have accepted the terms of this notice.

### Net Content / Net Weight:

**2.5 Gallons (9.46 L) / 25.3 lbs (11.5 kg)**

### DIRECTIONS FOR USE

MAXX C is a fertilizer product for use on all plant material. It is optimized for use with fertigation systems but may also be used in foliar applications. MAXX C may be added to any FERTI MAXX fertility product, most other fertilizers, and most agricultural chemicals after conducting a jar test for compatibility. Always treat a small test area with any experimental blends to determine potential phytotoxicity before making general applications.

### APPLICATION RATES / INTERVALS

**FERTIGATION SYSTEMS:** Use 1 to 4 gallons of MAXX C for every 10,000 sq. ft. Refill or apply every 4 weeks. Amount can be increased or decreased depending on desired results and plant needs.

**FOLIAR APPLICATIONS:** Apply 3 to 9 ounces of MAXX C per 1,000 sq. ft. every 2 to 4 weeks in 1 to 2 gallons of water.

**SHAKE WELL BEFORE USING**

### PRECAUTIONARY STATEMENTS

Wash skin thoroughly after handling. Get medical advice/ attention if you feel unwell. Dispose of contents/ container in accordance with local/ regional/ national/ international regulations.

### STORAGE INFORMATION:

Keep container tightly closed. Store in a dry, well-ventilated, and cool location, away from direct sunlight or where freezing is possible. Failure to follow storage guidelines may lead to product degradation. For

Commercial Use Only.

**KEEP OUT OF REACH OF CHILDREN & PETS**

**Lot #**

Questions and Information about the components of this product lot may be obtained at [www.ezfloinjection.com](http://www.ezfloinjection.com) or by phone 866.393.5601

Guaranteed by: EZ-FLO Injection Systems Inc.  
3640 Cincinnati Ave. ~ Rocklin, CA 95765